

filtermyoglobin.txt

? e au=al-hossary, a?

Ref	Items	Index-term
E1	0	AU=AL-HOSSARY, A?
E2	1	AU=AL-HOSSARY, AMR ALI MOKHTAR
E3	1	AU=AL-HOSSEIN K
E4	1	AU=AL-HOSSEIN, K. A.
E5	1	AU=AL-HOSSEINI GH
E6	2	AU=AL-HOSSEINI, M
E7	2	AU=AL-HOSSEINI, S. M. K.
E8	1	AU=AL-HOSSIANI M
E9	1	AU=AL-HOTHALI, FAISAL ABDULRAHIM
E10	2	AU=AL-HOTHARI M.A.
E11	1	AU=AL-HOTHARI MA
E12	3	AU=AL-HOTHARI MARED A
E13	1	AU=AL-HOTI, A
E14	2	AU=AL-HOTI, A.
E15	1	AU=AL-HOTI, B
E16	1	AU=AL-HOTI, B.
E17	2	AU=AL-HOTI, B. A.
E18	1	AU=AL-HOTI, B.A
E19	2	AU=AL-HOTI, B.A.
E20	4	AU=AL-HOTI, BA
E21	1	AU=AL-HOTI, BADER
E22	2	AU=AL-HOTI, BADER NASSER
E23	1	AU=AL-HOTTI S
E24	2	AU=AL-HOTTI, SAUD
E25	1	AU=AL-HOULI, AHMAD EBRAHIM

Enter PAGE for more

? s e2

S1 1 AU='AL-HOSSARY, AMR ALI MOKHTAR'

? s antmyoglobin and filter

	Items	Index-term
	138	ANTIMYOGLOBIN
	919985	FILTER
S2	0	S ANTIMYOGLOBIN AND FILTER

? s filter and myoglobin

	Items	Index-term
	919985	FILTER
	86143	MYOGLOBIN
S3	220	S FILTER AND MYOGLOBIN

? s s3 and antibod?

	Items	Index-term
	220	S3
	5566597	ANTIBOD?
S4	14	S S3 AND ANTIBOD?

? rd

>>>w: Duplicate detection is not supported for File 393.

Duplicate detection is not supported for File 391.

Records from unsupported files will be retained in the RD set.

S5 11 RD (UNIQUE ITEMS)

? d s

Set	Items	Description
S1	1	AU='AL-HOSSARY, AMR ALI MOKHTAR' FROM 5, 6, 24, 34, 40, 41, 45, 50,
65, 71, 72, 73,	76, 98, 103, 136, 143, 144, 154, 155, 156, 162, 172, 305, 369, 370,	
393, 399, 434,	28, 35, 44, 91, 110, 135, 164, 185, 357, 391, 467, 8, 99, 266, 315,	
358, 138, 149,	159, 444	
S2	0	S ANTIMYOGLOBIN AND FILTER
S3	220	S FILTER AND MYOGLOBIN
S4	14	S S3 AND ANTIBOD?

S5

11 RD (unique items)

? t s5/3,k/1-11

>>W: KWIC option is not available in file(s): 399

5/3,k/1 (Item 1 from file: 5) Links

Fulltext available through: STIC Full Text Retrieval Options

Biosis Previews(R)

(c) 2009 The Thomson Corporation. All rights reserved.

07665103 Biosis No.: 198579084002

INTERACTION BETWEEN FIBRINOGEN AND CULTURED ENDOTHELIAL CELLS INDUCTION OF MIGRATION AND SPECIFIC BINDING

Author: DEJANA E (Reprint); LANGUINO L R; POLENTARUTTI N; BALCONI G; RYCKEWAERT J J ; LARRIEU M J; DONATI M B; MANTOVANI A; MARGUERIE G

Author Address: ISTITUTO DI RICERCA FARMACOLOGICHE MARIO NEGRI, 20157 MILAN, ITALY**ITALY

Journal: Journal of Clinical Investigation 75 (1): p 11-18 1985

ISSN: 0021-9738

Document Type: Article

Record Type: Abstract

Language: ENGLISH

Abstract: ...dependent migration of EC across filters. fg present in equal concentrations above and below the filter increased EC migration, but the maximal effect invariably occurred in the presence of a gradient... Trypsin or plasmin digestion of fg and preincubation of fg with Fab fragments from specific antibody completely abolished fg-induced EC migration. Dialysis of fg to eliminate small peptides that might... in a large molar excess inhibited the interaction, but unrelated proteins, including fibronectin, ovalbumin and myoglobin, did not. Monospecific Fab fragments directed to fg inhibited binding by 38% at a 50 ...

Descriptors: HUMAN BOVINE AFIBRINOGENEMIC PLASMA FIBRONECTIN OVALBUMIN MYOGLOBIN

5/3,k/2 (Item 1 from file: 72) Links

Fulltext available through: STIC Full Text Retrieval Options

EMBASE

(c) 2009 Elsevier B.V. All rights reserved.

0079436068 EMBASE No: 2003140793

Diagnostic value of needle aspiration cytology (NAC) in the assessment of palpable inguinal lymph nodes: A study of 210 cases

Gupta R.K.; Naran S.; Lallu S.; Fauck R.

Cytology Unit, Department of Laboratory Services, Wellington Hosp./School of Medicine, Wellington, New Zealand; Cytology Unit, Laboratory Services, Wellington Hospital, Wellington, New Zealand

Corresp. Author/Affil: Gupta R.K.: Cytology Unit, Laboratory Services, Wellington Hospital, Wellington, New Zealand

Diagnostic Cytopathology (Diagn. Cytopathol.) (United States) April 1, 2003 , 28/4 (175-180)

CODEN: DICYE ISSN: 8755-1039

Item Identifier (DOI): 10.1002/dc.10244

Document Type: Journal ; Article Record Type: Abstract

Language: English Summary language: English

Number of References: 12

...Papanicolaou method. In addition, Diff-Quik-stained air-dried smears, Papanicolaou-stained fixed smears, and filter preparations from needle washings and hematoxylin-eosin-stained sections of cell blocks were studied. The...

Drug Descriptors:

*
...chain--endogenous compound--ec; immunoglobulin lambda chain--endogenous

filtermyoglobin.txt
compound--ec; lysozyme--endogenous compound--ec; monoclonal antibody HMB
45--endogenous compound--ec; myoglobin--endogenous compound--ec; neuron specific
enolase--endogenous compound--ec; prostate specific antigen --endogenous
compound--ec...
Medical Descriptors:

5/3,K/3 (Item 1 from file: 370) Links
Science

(c) 1999 AAAS. All rights reserved.

00509107 (USE 9 FOR FULLTEXT)

Prion Domain Initiation of Amyloid Formation in Vitro from Native Ure2p

Taylor, Kimberly L.; Cheng, Naiqian; Williams, Robert W.; Steven, Alasdair C.;
Wickner, Reed B.<CRF RID="C1">

Laboratory of Biochemistry and Genetics, National Institute of Diabetes and

Digestive and Kidney Diseases, National Institutes of Health, Bethesda, MD

20892-0830, USA. Laboratory of Structural Biology, National Institute of Arthritis

and Musculoskeletal and Skin Diseases, National Institutes of Health, Bethesda, MD

20892-2717, USA. Department of Biochemistry and Molecular Biology, Uniformed

Services University for Health Sciences, Bethesda, MD 20814, USA.

Science Vol. 283 5406 pp. 1339

Publication Date: 2-26-1999 (990226) Publication Year: 1999

Document Type: Journal ISSN: 0036-8075

Language: English

Section Heading: REPORTS

Word Count: 2238 (THIS IS THE FULLTEXT)

Text:

...proteinase K for various times and the products were analyzed by

immunoblotting with a Ure2p antibody specific for the

NH.inf(2)-terminus. The seeded filaments of Ure2p (last sample) consisted

...

References and Notes:

...mu) M thyroglobulin, 23 (mu) M (gamma) -globin, 83 (mu) M ovalbumin, 107 (mu) M

myoglobin, 265 (mu) M vitamin B.inf(12), 106 (mu) M ribonuclease A, 54 (mu) M...

...both in 50 mM tris-HCl (pH 8.0) containing 0.2 M NaCl were filter-sterilized and

peptides were diluted into the protein solutions to a final concentration of

13...gel. The gels were blotted onto polyvinylidene difluoride membranes and

immunoblots were probed with an antibody specific for the NH.inf(2)-terminal region

of Ure2p (B1) . Proteinase K digestion of...

5/3,K/4 (Item 2 from file: 370) Links
Science

(c) 1999 AAAS. All rights reserved.

00500826 (USE 9 FOR FULLTEXT)

PIN: An Associated Protein Inhibitor of Neuronal Nitric Oxide Synthase

Jaffrey, Samie R.; Snyder, Solomon H.

Departments of Neuroscience, Pharmacology and Molecular Sciences, and Psychiatry and

Behavioral Sciences, Johns Hopkins University School of Medicine, 725 North Wolfe

Street, Baltimore, MD 21205, USA.

Science Vol. 274 5288 pp. 774

Publication Date: 11-01-1996 (961101) Publication Year: 1996

Document Type: Journal ISSN: 0036-8075

Language: English

Section Heading: Reports

Word Count: 2295 (THIS IS THE FULLTEXT)

Text:

...complexes of PIN and nNOS were detected in rat cerebellum extracts by immunoprecipitation with an antibody to nNOS (B21) (Fig. 2D... indicated Gal4 AD and Gal4 BD plasmids and grown on plates containing histidine. A typical filter lift (B5) is shown in which (beta) -galactosidase activity was detected by the appearance of...with SDS-polyacrylamide gel electrophoresis (PAGE) sample buffer and immunoblotted with the indicated isoform-specific antibodies (Transduction Labs). Input is 10% of the protein loaded onto the columns. (B) GST-PIN...

...the bound protein was eluted with 10 mM NADPH and detected by immunoblotting with an antibody to GST (anti-GST) (B20) . Samples of the bacterial lysates are included to show the...

...to nNOS in transfected HEK 293 cells but not in mock-transfected cells. (D) An antibody to nNOS specifically coprecipitates PIN. Rat cerebellar lysate was immunoprecipitated (IP) with 1 (mu) g of an antibody to nNOS (B30) or the indicated control antibody and protein A-agarose. HA, hemagglutinin. The immunoprecipitates were washed (B21) and eluted in SDS...

...12 gel filtration column (Pharmacia). Fractions were concentrated and the material was immunoblotted with an antibody to nNOS. The column was calibrated with the following standards: thyroglobulin (relative molecular mass M...

...r) 158,000) 10.9 ml, ovalbumin (M.inf(r) 44,000) 12.6 ml, myoglobin (M.inf(r) 17,000) 14.3 ml, and cyanocobalamin (M.inf(r) 1350) 18...

References and Notes:

...and S. H. Snyder, *ibid.* 87, 682 (1990)]. The eluate was immunoblotted with a rabbit antibody to GST (NovaCastra, Burlingame, CA). For blot-overlay analysis, pGEX-4T2 was modified such that... ..buffer 2 [50 mM tris-HCl (pH 7.7), 500 mM LiCl]. The rabbit polyclonal antibody to the hemagglutinin epitope (HA) was from BABCO (Richmond, CA). A rabbit antiserum to PIN ...thank E. Fung for the yeast strain and plasmids; V. Dawson and T. Dawson for antibodies and advice; T. Michel for the eNOS plasmid; C. Lowenstein for the iNOS plasmid; A...

5/3,K/5 (Item 1 from file: 399) Links

CA SEARCH(R)

(c) 2009 American Chemical Society. All rights reserved.

109207902

CA: 109(23)207902k

PATENT

Preparation and use of porous solid materials containing bioactive substances

Inventor (Author): Friesen, Heinz Juergen

Location: Fed. Rep. Ger.

Assignee: Behringwerke A.-G.

Patent: Germany Offen. ; DE 3636060 A1

Date: 880505

Application: DE 3636060 (861023)

Pages: 4 pp.

CODEN: GWXXBX

Language: German

Patent Classifications:

Class: C12N-011/02A; C12N-009/04B; C07K-017/02B; C07K-003/18B; G01N-033/53B; G01N-033/68B

filtermyoglobin.txt

5/3,K/6 (Item 1 from file: 135) Links
NewsRx Weekly Reports
(C) 2009 NewsRx. All rights reserved.

0000450741 (USE FORMAT 7 OR 9 FOR FULLTEXT)

New medical research reported by University of Florence, Italy

Biotech Business Week, February 19, 2007, p.1923

DOCUMENT TYPE: Expanded Reporting LANGUAGE: English
RECORD TYPE: FULLTEXT

Word Count:
1006

... Applied Optics, Florence, Italy."
"Two IOLs, the AcrySof Natural with a UV and blue-light filter and the AcrySof without a blue-light filter, were studied. Three IOLs of each model with different dioptric powers were examined in two...
...pleural mesothelioma and lung adenocarcinoma involving the pleura have proven to be valuable, no single antibody has demonstrated absolute sensitivity and/or specificity in making this distinction. Using immunohistochemical analysis with...

...addition, immunohistochemistry for muscle markers, such as desmin, alpha-smooth-muscle actin, muscle-specific actin, myoglobin, myogenin, myosin, and MyoD-1, was performed on all mesothelioma cases. Reactivity for h-caldesmon...

5/3,K/7 (Item 1 from file: 357) Links
Derwent Biotech Res.

(C) 2008 Thomson Reuters. All rights reserved.

0314162 DBA Accession No.: 2003-15302 PATENT

Diagnosing pediatric tumors or rhabdomyosarcoma (RMS) based on differential localization of a Wilms' tumor protein (WT1), or differentiating RMS from Wilms' tumor, by detecting elevated cytoplasmic levels of WT1 protein for use in cancer and rhabdomyosarcoma diagnosis

Author: CARPENTIERI D F

Patent Assignee: CHILDRENS HOSPITAL PHILADELPHIA 2003

Patent Number: WO 200328539 Patent Date: 20030410 WPI Accession No.: 2003-381577
(200336)

Priority Application Number: US 401974 Application Date: 20020808

National Application Number: WO 2002US31336 Application Date: 20021001

Language: English

Abstract: ...with rhabdomyosarcoma; and (2) kits for detecting WT1 in a biological sample comprising: (a) an antibody or its fragment immunologically specific for a region of WT1, a detectable label for the antibody, and reagents suitable for detecting WT1-antibody immuno-complexes if present in the biological sample; or (b) at least one pair of... their fragments. The method further comprises a detecting myogenin, MyoD, desmin, muscle-specific actin, and myoglobin. The agent (e.g., antibody) having affinity for a WT1-associated molecule comprises a detectable label, e.g., fluorescein, rhodamine, phycoerythrin, biotin or streptavidin. The agent or antibody is detected by flow cytometric analysis, immunochemical detection or

filtermyoglobin.txt

immunoblot analysis. Preferably, the agent having affinity for a WT1-associated molecule, or the antibody or its fragment, is in solution. The biological sample comprises soft tissue tumor cells, rhabdomyosarcoma... ..by: (a) obtaining a sample from a pediatric patient; (b) contacting the sample with an antibody or antibody fragment immunologically specific for the WT1 protein; and (c) determining cellular localization of WT1 as indicated by localization of the antibody or antibody fragment immunologically specific for WT1, where an elevated cytoplasmic WT1 staining provides a positive diagnostic indicator of a rhabdomyosarcoma tumor. The antibody is immunologically specific for an amino terminal region of WT1. In method (1), detecting a... ..acid. The reaction product is assessed by gel electrophoresis, restriction digest mapping, scintillation counting or filter paper assays. The primers have a sequence selected from: (i) Outer Sense: 5'-GGCATCTGAGACCGAGTGAAG-3'... ..kit (2.b) optionally comprises reagents for gel electrophoresis, restriction digest mapping, scintillation counting or filter paper assays. The kit further comprises an antibody or its fragment immunologically specific for a region of WT1, a detectable label for the antibody, and reagents for detecting WT1-antibody immuno-complexes, if present in the biological sample. USE - The method is useful for diagnosing... ..These specimens include 24 Wilms' tumors and 11 rhabdomyosarcomas (RMS). The Wilms' tumor protein (WT1) antibody used was a mouse monoclonal (clone 6F-H2) raised against the N-terminal 1-181 amino acids of human WT1. The antibody was detected by standard avidin-biotin method. A total of 66 cases were stained and... ..E.C. Numbers: Descriptors: polymerase chain reaction, antibody, DNA primer, sense, antisense, appl. cancer, rhabdomyosarcoma diagnosis DNA amplification tumor DNA sequence (22, 25)

5/3,K/8 (Item 1 from file: 149) Links
TGG Health&Wellness DB(SM)
(c) 2009 Gale/Cengage. All rights reserved.
03690078 Supplier Number: 179505010 (USE FORMAT 7 OR 9 FOR FULL TEXT)
Differential protein expression in mouse splenic mononuclear cells treated with polysaccharides from spores of *Ganoderma lucidum*. (Report)

Ma, Chao; Guan, Shu-Hong; Yang, Min; Liu, Xuan;; Guo, De-An
Phytochemistry: International Journal of Phytotherapy & Phytopharmacology , 15 , 4 , 268(9)
April , 2008
Document Type: Report Publication Format: Magazine/Journal
ISSN: 0944-7113
Language: English
Record Type: Fulltext; Abstract Target Audience: Academic
Word Count: 4970 Line Count: 00417

...GL-SP was dissolved in RPMI-1640 medium, filtered through a 0.22 (micro)m filter and stored at -20 (degrees)C before use in biological study.

The chemical characteristics of...

...with 400 (micro)l of wash buffer once, loaded with 100 (micro)l of secondary antibody solution at room temperature for 2h. The same aspiration and wash procedures were performed, and...

...mass spectra were recorded. MS accuracy was externally calibrated with trypsin-digested peptides of horse myoglobin. All data analysis and database searching were performed by the GSP Explorer software with the...

filtermyoglobin.txt
 5/3,K/9 (Item 2 from file: 149) Links
 TGG Health&wellness DB(SM)
 (c) 2009 Gale/Cengage. All rights reserved.
 03441585 Supplier Number: 168423789 (USE FORMAT 7 OR 9 FOR FULL TEXT)
 Pulmonary biomarkers based on alterations in protein expression after exposure to
 arsenic.(Research)(Clinical report)

Lantz, R. Clark; Lynch, Brandon J.; Boitano, Scott; Poplin, Gerald S.; Littau,
 Sally; Tsapraillis, George; Burgess, Jefferey L.
 Environmental Health Perspectives , 115 , 4 , 586(6)
 April ,
 2007
 Document Type: Clinical report Publication Format: Magazine/Journal
 ISSN: 0091-6765
 Language: English
 Record Type: Fulltext Target Audience: Academic
 word Count: 6853 Line Count: 00663

...were transferred to nitrocellulose and blotted with anti-RAGE (receptor
 for advanced glycation end products) antibody (R & D Systems,
 Minneapolis, MN) followed by horseradish peroxidase-linked secondary
 antibody (Sigma). Blots were developed with the Supersignal west
 Femto kit (Pierce). We determined band density...

...those described above (Andon et al. 2002). We used DTaselect (Tabb et
 al. 2003) to filter the results according to previous criteria for
 reliable sequence peptides (Hunter et al. 2002; Wolters...

...and sputum samples. Arsenic could be directly binding to the sRAGE,
 inhibiting recognition by the antibodies used in the ELISA. This
 does not seem likely because adding (As.sup.3+) or...

X	kallikrein 1-related peptidase b16
	X Glyceraldehyde-3-phosphate dehydrogenase
	X Kallikrein 27
	X Myoglobin
	X Nerve growth factor, gamma
	X Parotid secretory protein
	X Pyruvate kinase 3

X X...

5/3,K/10 (Item 3 from file: 149) Links
 TGG Health&wellness DB(SM)
 (c) 2009 Gale/Cengage. All rights reserved.
 01194382 Supplier Number: 08263509 (USE FORMAT 7 OR 9 FOR FULL TEXT)
 Product information section. (Clinical Laboratory Reference 1989) (buyers guide)

Medical Laboratory Observer , v21 , n13 , p16(90)
 Annual ,
 1989
 Document Type: buyers guide Publication Format: Magazine/Journal
 ISSN: 0580-7247
 Language: English
 Record Type: Fulltext Target Audience: Academic; Professional
 word Count: 57949 Line Count: 05915

...kits for Hepatitis A HAVAB [R]-M EIA--Enzyme Immunoassay for the
 detection of IgM antibody to hepatitis A virus. HAVAB
 [R]-M--Radioimmunoassay for the detection of IgM antibody to

filtermyoglobin.txt

hepatitis A virus. HAVAB [R] EIA--Enzyme Immunoassay for the detection of antibody to hepatitis A virus. HAVAB [R]--Radioimmunoassay for the detection of antibody to hepatitis A virus.

Diagnostic kits for Hepatitis B AUSAB [R]--Radioimmunoassay for the detection of antibody to hepatitis B surface antigen. AUSAB [R] EIA--Enzyme Immunoassay for the detection of antibody to hepatitis B surface antigen. AUSCELL [R]--Reverse Passive Hemagglutination for the detection of hepatitis...

...serum or plasma. Confirmatory test kits also available. CORAB [R]--Radioimmunoassay for the detection of antibody to hepatitis B core antigen in serum or plasma. CORAB [R]-M Radioimmunoassay for the qualitative determination of specific IgM antibody to hepatitis B virus core antigen (Anti-[HB.sub.c]IgM) in human serum or...

...6 months or less) hepatitis B infection. CORZYME [R]--Enzyme Immunoassay for the detection of antibody to hepatitis B core antigen in serum or plasma. CORZYME [R]-M Enzyme Immunoassay for the qualitative determination of specific IgM antibody to hepatitis B virus core antigen (Anti-[HB.sub.c]IgM) in human serum or...

...HBe (rDNA) EIA--Enzyme Immunoassay for the detection of hepatitis B e antigen and/or antibody to hepatitis B e antigen. ABBOTT-HBe (rDNA)--Radioimmunoassay for the detection of hepatitis B e antigen and/or antibody to hepatitis B e antigen.

Hepatitis B Immune Globulin H-BIG [R]--Hepatitis B immune globulin (Human).

Diagnostic kits for Hepatitis D ABBOTT ANTI-DELTA--Radioimmunoassay for the detection of antibody to hepatitis delta antigen (HDAG) in human serum or plasma. ABBOTT ANTI-DELTA EIA--Enzyme Immunoassay for the detection of antibody to hepatitis delta antigen in human serum or plasma.

RETROVIRUS TESTS

ABBOTT HIV-I EIA--Enzyme Immunoassay for the detection of antibody to Human Immunodeficiency Virus Type I (HIV-I) in human serum or plasma. ABBOTT HTLV...

...S). For Research Use Only. ABBOTT HTLV-I EIA--Enzyme Immunoassay for the detection of antibodies to human T-Lymphotropic Virus Type I (HTLV-I) in human serum or plasma.

INFECTIOUS DISEASE AND IMMUNOLOGY TESTS

ABBOTT CMV TOTAL AB EIA--Enzyme Immunoassay for the detection of antibody to cytomegalovirus (CMV) in human serum, plasma and whole blood. ROTAZYME [R] II--Enzyme Immunoassay...ABBOTT TOXO-G [TM] EIA--Enzyme Immunoassay for the qualitative and quantitative determination of IgG antibody to Toxoplasma gondii in human serum and plasma. ABBOTT TOXO-M [TM] EIA--Enzyme Immunoassay for the qualitative determination of IgM antibody to Toxoplasma gondii in human serum. ABBOTT RSV [TM]-EIA--Enzyme Immunoassay for the detection...

...plasma, or urine.

RUBELLA TESTS

RUBACELL [R]--Passive Hemagglutination (PHA) test for the detection of antibody to rubella virus in serum or recalcified plasma specimens to determine the immune status of individuals. RUBAZYME [R]--Enzyme Immunoassay for the detection of IgG antibody to rubella virus in serum. RUBAZYME [R]-M--Enzyme Immunoassay for the detection of IgM antibody to rubella virus in serum. RUBAQUICK [TM] DIAGNOSTIC KIT--Rapid Passive Hemagglutination (PHA) for the detection of antibodies to rubella virus in serum specimens.

SEXUALLY TRANSMITTED DISEASE TESTS

GONOZYME [R]--Enzyme Immunoassay for...analytes. Microparticles and glass fibers make it possible.

In Microparticle Enzyme Immunoassay (MEIA), uniquely designed

filtermyoglobin.txt

antibody-coated microparticles provide a vast surface area to accelerate analyte binding. After binding occurs, and an enzyme-labeled conjugate is added, a conjugate/analyte/antibody or antigen sandwich is formed, which is then captured by the innovative glass fiber matrix...

...ability to automate a virtually unlimited range of immunoassays.

The increased surface area of the antibody coated microparticles accelerates the assay reaction, improving the assay result turn around time. The microparticles...

...kinetics with the reliability of solid-phase separation.

In this technique, a capture molecule (antigen, antibody, or viral particle) is coated onto a submicron ([is less than] 0.5um on average
...

...the sample in a reaction cell. During this step, the analyte is captured by the antibody on the microparticle surface. The IMx then adds an alkaline phosphatase conjugate that binds to the analyte/antibody complex on the microparticle surface, forming an antibody /analyte/conjugate "sandwich." The IMx transfers the solution to a glass fiber matrix. The microparticles carrying the conjugate/analyte/antibody "sandwich" adhere to the glass fibers. Excess reagent and other unbound material are washed away...in plasma or in

serum by the technique of latex particle agglutination, using mouse monoclonal antibody raised against the D-Dimer epitope.

* Spli-Prest, a rapid procedure for detection and determination of fibrin/fibrinogen degradation products (FDP) by agglutination of latex particles coated with specific antibodies.

ABC markets/sells over 300 products and supports its customers with education materials such as...

...Factor VIII and Alpha-2 Antiplasmin.

* DIMERTEST [TM] II DIMERTEST [TM] II is a monoclonal antibody based latex agglutination assay for the direct and rapid measurement of cross-linked fibrin degradation...

...human tissue plasminogen activator antigen in plasma and biological fluids. The kit utilizes the double antibody principle which ensures that t-PA antigen measurements are unbiased by the presence of e.g. rheumatoid factor(s) and anti-goat antibodies. This robust method is superior to other methods for ruling out false positives when analyzing... third-generation chromogenic substrates and kits, highly purified human plasma proteins, numerous mono- and polyclonal antibodies to hemostasis-related antigens, and various unique coagulation reagents.

AMERICAN MONITOR CORPORATION P.O. Box...withdraw. Choice of 4 membrane and cell volume concentrations. Process 8-10 samples per unit.

ANTIBODIES INCORPORATED P.O. Box 1560 Davis, CA 95617

Ordering/Pricing/Technical Information: Toll Free (800...

...a fast, convenient, and accurate alternative to microbiological culture.

ANA/DNA by IFA Our Antinuclear antibody (ANA) test kits utilize HEP2 substrate in either 6 or 12 well slide formats with...meet its long-term goals.

DIRECT CHLAMYDIA FA AND ELISA: Both the IMAGEN [TM] fluorescent antibody and IDEIA [TM] microdilution ELISA are direct specimen Chlamydia assays. The monoclonal antibody for each can detect elementary bodies from all fifteen (15) known serovars of C. trachomatis...

...for Rotavirus, Adenovirus 40, 41 and a culture confirmation test for respiratory Adenovirus. These monoclonal antibody tests employ break away micro-wells which allow batch or individual no waste testing. Reagents
...

filtermyoglobin.txt

...equipment costs or capital expenditures. Reliably screens out negative specimens to lower culture costs.

ATLANTIC ANTIBODIES AN INCSTAR Company 10 Nonesuch Road P.O.
Box 60 Scarborough, ME 04074
Ordering/Pricing...

...Information: Telephone: 800-343-3430 Fax: 207-883-4158 Telex:
94-4310-ATAB SCRB

Atlantic Antibodies, (ATAB [R]), offers an extensive line of human serum calibrators and antisera to human serum...Microurinary

Albumin (new)
Prealbumin (new)

Complement C4 Transferrin

C-Reactive Protein

Flourochrome and enzyme conjugated antibodies suitable for use in cytology and histology are also available.

AVL SCIENTIFIC CORPORATION 33 Mansell...test kits for use in clinical laboratories worldwide. The kits feature either convenient GammaCoat [TM] antibody coated tube technology or classical GammaDab [R] double antibody technology. Kits contain reagents sufficient for either 50, 60, 100, 125, 500, or 2,500...eliminates waste.

ENZYME IMMUNOASSAY REAGENTS

Epsilon [R] test kits are enzyme immunoassays which incorporate monoclonal antibodies and solid phase multi-site techniques utilizing coated beads. With the use of the Epsilon...

...ENTRY PROCEDURES.

ASQ HIV is a new reagent test kit for the evaluation of multiple antibodies to Human Immunodeficiency Virus, Type I. Six antibodies can be detected by their reaction with genetically engineered peptides...anti p24 (gag), anti Kp55...

...are complete in less than four hours. An optical signal is obtained for each reactive antibody, providing objective absorbance data for antibody evaluation. Each kit contains three microtiter plates for 36 assays, controls, and all reagents required...station available.

VIROLOGY ENZYGNOST [R] Rubella, anti-CMV antigen for measurement of IgG and IgM antibodies and antigen in human serum.

IMMUNOLOGY Immunofluorescent Test Kits AFT [R] III, AFT [R] Systems... with precoated wells.

ANTIGEN SPECIFIC ELISA KITS - for quantitation of both Total IgG and subclass antibodies (IgG1, IgG2) specific for H. influenza, S. pneumoniae and C. tetani.

COMPLEMENT COMPONENT RID KITS...

...14 Newly Characterized CD Markers and other established cell surface markers.

ANTISERA - 1100 + Polyclonal/monoclonal antibodies and conjugates.

AUTOANTIBODY POSITIVE SERA - ENA, ANA, RF and others.

WHOLE PLASMA AND SERUM STANDARDS...

...leaders in anemia testing.

Bio-Rad also leads in the critical diagnostic areas of HIV-antibody testing, and drug monitoring. The Bio-Rad Novapath Immunoblot Assay incorporates Western Blot technology for reliable confirmation of Antibody to HIV. Results are available in less than three hours. Bio-Rad tests kits for...Digoxin 198-3001 100 (coated tube)

INFECTIOUS DISEASES Novapath [TM] Immunoblot Assay(*) for Detection of Antibodies to Human Immunodeficiency Virus (HIV)
Catalog No.

10-Test Kit 197-1000

30-Test Kit...

...Cat No.

Histamine-RIA	1051
IgE-Visual, ELISA	1071
Cardiac Management	
CK-MB-RIA	1026
Myoglobin-RIA	1025
Fertility/Endocrine Profile	
Alpha Subunit-RIA	1052
DHEA-S, Direct-RIA	1017
Estradiol...	

...EIA KITS T3 CLASP [R]-Bead T4 CLASP [R]-Bead

* Multi-well Gamma Counter

* Polyclonal Antibodies

* RNAzol [TM]-A new method for RNA isolation

* HETS [TM]-A high efficiency transfer solution...human adenovirus antigens.

HUMAN LYME EIA Diagnostic EIA kit for the detection of human lyme antibodies.

RECOMBINANT HTLV-I EIA Research EIA for the detection of HTLV-I antibodies.

LEUKOTEST [R]-FeLV Diagnostic EIA kit for the detection of Feline Leukemia virus antigen.

RECOMBIGN [R] HIV-1 LA Five minute diagnostic latex agglutination test for the detection of antibody to HIV-1. Available through the Baxter Healthcare Corporation.

CAMBRIDGE MEDICAL TECHNOLOGY CORPORATION 575 Middlesex...

...Insulin

Etorphine [T.sub.3] CT

Fentanyl [T.sub.4] CT

BULK REAGENTS Monoclonal Antibodies Polyclonal

Antibodies Secondary Antisera Radioiodinated Ligands Normal Sera

Purified Antigens Viral Antigens EIA Conjugates and Substrates

CUSTOM SERVICES

Iodinations Antibody Production

Immuno-Coating OEM

CASCO STANDARDS 15 Leighton Road Yarmouth, ME 04096

Ordering/Technical/Pricing...Diseases

Toxoplasma Streptococcus

Cytomegalovirus Salmonella

HEPATITIS TEST SYSTEMS

* AB-AUK-3 - Bead Technology to detect

antibody to HBSAg * AUK-3 - Bead Technology using

monoclonal antibodies to test for HBSAG * AB-COREK - Bead

Technology using

recombinant DNA to test for ANTI...

...assess a patient's immunity to rubella viremia by standardizing the results of quantitative rubella antibody with the CAP Certified

Rubella Reference Material.

This reference material provides a precise standard for calibration of the quantitative determination of serum antibody (human) to rubella by hemagglutination inhibition assay, enzyme immunoassay, fluorescence immunoassay, and latex agglutination.

The...

...for Clinical Laboratory Standards (NCCLS) and are traceable to the CDC Reference Preparation for Serum Antibody to Rubella. They are packaged as three 0.5 mL vials; negative, borderline titer, and... lymphomas, other immunodeficiencies, autoimmune diseases and transplant

filtermyoglobin.txt
 rejection, DNA cell cycle analysis, reticulocyte and platelet
 antibody enumeration.

Increased throughput, outstanding efficiency and superior operator
 safety make the new EPICS Profile II...samples in less than 10 minutes in
 three steps:

1. Add 10 [mu]l monoclonal antibody to 0.1
 mL whole blood sample, incubate 10
 minutes,
2. Place sample in Q...

...complete system including the Workstation, Immuno-Prep reagents and
 CYTOSTAT [R] /COULTER CLONE [R] monoclonal antibodies.
 COULTER CYTOMETRY IMMUNOLOGY DIVISION OF COULTER 440 West 20th Street
 Hialeah, FL 33010
 Ordering/Technical...

...multicolor analysis or tissue stains.
 CYTO-STAT [R] /COULTER CLONE [R] Two-Color
 CLUSTER
 MONOCLONAL ANTIBODY DESIGNATION(*)
 For In Vitro Diagnostic Use
 T11-RD1/B1-FITC CD2/CD20 (lgG1) (lgG2a)
 T11...

...RD1/MsIgG2a-FITC MsIgM-RD1/MsIgG1-FITC
 Single-Color CYTO-STAT [R]

MONOCLONAL ANTIBODY	CLUSTER	PRODUCT
DESIGNATION		
For In Vitro Diagnostic Use		FORM
T11 (lgG1)	CD2	FITC RD1
T3 (lgG1)	CD3...	
...CD45	FITC	
MsIgG1	-	FITC RD1
MsIgG2a	-	FITC
MsIgG2b	-	FITC
MsIgM	-	FITC
COULTER CLONE [R] MONOCLONAL ANTIBODIES		

MONOCLONAL ANTIBODY	CLUSTER	PRODUCT
DESIGNATION		
For In Vitro Diagnostic Use		FORM
T1 (lgG2a)	CD5	Purified RD1
T3 (lgG1)	CD3...	

...box, 500mL per packet) (Flow cytometry or fluorescence microscopy)

ORDERING INFORMATION

COULTER CLONE [R] monoclonal antibodies are available in 25 and
 100-test sizes as listed. CYTO-STAT [R]/COULTER CLONE [R] monoclonal
 antibodies, both 2-color and single color, are available in 50-test
 sizes. Purified, biotin, FITC...

...The instrument will read any assay between 340 and 630nm with a quick
 change of filter.

SOPHEIA 2000

The SOPHEIA 2000 is a high-speed bichromatic spectrophotometer that
 can store up...

filtermyoglobin.txt

...Physician's Kit * Strep B/Meningitis Kit

IMMUNOHISTOCHEMISTRY(*)

- * StrepA-B * Monoclonal Mouse
- Universal Kit Primary Antibody
- * STAT Accessory Sets
- Kit for Rapid * Polyclonal Rabbit
- Staining Primary Antibody
- * Rabbit Universal Sets

Kit

ALLERGY * Total IgE * Sopheia [TM] 1000 * Allergen-specific * Sopheia

[TM] 2000...DSL is the manufacturer of:

- * the only direct (non-extraction)
- Androstenedione assay, * the only double antibody Myelin Basic
- Protein assay, * the only Somatomedin-C assay with a
- single three hour incubation...

...IGF-1

- * Cortisol (IRMA)
- * DHEA-Sulfate * Testosterone
- * Estradiol * TSH Ultrasensitive
- * Ferritin (IRMA)
- * Progesterone (IRMA)

Double Antibody Radioimmunoassays: * Adrenocorticotrophic *

Parathyroid

- Hormone (ACTH) Hormone
- * Alpha Fetoprotein(*) C-Terminal
- * Androstenedione * Parathyroid
- * Calcitonin Hormone--Mid...

...Estrogen Receptor(*) * Progesterone

Receptor(**) (*)For investigational use only (**)For research use

only

Monoclonal and polyclonal antibodies, and other raw materials

are also available.

DIAMEDIX CORPORATION 2140 North Miami Avenue Miami, FL...

...Other Complement Products

- Whole Complement
- Complement Components C1-C4
- Stable Cellular Intermediates
- Preserved Sheep Blood
- Antibodies to Sheep Red Cells

INSTRUMENTATION BP-12 Photometer For reading microwell strips at 405,

450...releases antigenic material from the bacteria cell wall. This extract

is then mixed with specific antibody-sensitized latex particles,

mixed and read within two minutes.

There are adequate reagent, extractant, mixing...Western Blot Kit The

first licensed kit for validating the presence of AIDS virus (HIV)

antibodies in human blood. Test kit includes all necessary reagents

and controls - no special equipment is needed. Provides prompt validation

of initial HIV screening results. Identifies specific HIV antibodies

in the patient's blood. May assist physicians in establishing the clinical

diagnosis of AIDS.

- * Western Blot Service This service for the confirmatory testing of

HTLV-III antibodies offers significantly enhanced sensitivity and

reproducibility, prompt and confidential reporting, and convenient and safe

handling...

...needs.

- * HIV ELISA Testing System A highly sensitive and specific blood

screening test to detect antibodies to HIV in an easy to use

automated system.

- * Hepatitis ELISA Testing System A fast...

...labor efficient microplate technology and equipment as Du Pont's HIV ELISA test.

* EBV ELISA Antibody Assay Kits Convenient ELISA technology in easy to use kits for detection of antibodies to all major Epstein-Barr Virus antigens. Six kits for complete EBV serologies include VCA...

...D--IgG, EA-R--IgG and EA-D--IgG (for research use only.)

* Purified Monoclonal Antibodies to Viral Antigens Lyophilized, chromatographically purified monoclonal antibodies to CMV, EBV and HSV.

* HTLV-I A sensitive, Enzyme-linked Immunosorbent Assay that screens donated blood for antibodies to HTLV-I, a retrovirus associated with adult T-cell leukemia and neurological disorders.

HEMATOLOGY...pregnancy, strep A, chlamydia and herpes. Kits are under development for gonorrhea and HIV-1 antibody (AIDS). These disposable diagnostic kits are completely self-contained and require no instrumentation. Built-in...

...Each kit consists of assay strips impregnated with multiple antigens. Each assay strip detects several antibodies simultaneously. The test may be performed on serum or heparinized whole blood, takes about twenty minutes to perform after setup, and requires minimal tech time. The presence of the antibodies in question are indicated by blue-violet dots and results require no instrumentation to interpret methods. The following kits are available:

* IMMUNODOT [R] TORCH TEST. The test screens for antibodies to Toxoplasma gondii, rubella virus, cytomegalovirus, and herpes simplex virus. The assay was designed to...

...before or during pregnancy. * IMMUNODOT [R] T.E.C.H. TEST. The test screens for antibodies to Toxoplasma gondii, Epstein-Barr virus, cytomegalovirus, and herpes simplex virus. The assay was designed...

...or for use in the immunocompromised patient. * IMMUNODOT [R] RUBELLA TEST. The assay screens for antibodies to rubella in order to determine immune status.

MRC [TM] IMMUNOFLOUORESCENT TESTS This product line consists of both kits and components to detect antibodies by the conventional and reliable indirect immunofluorescent method. Reagents are available to detect ANA as well as both IgG and IgM antibodies to the following organisms: * Toxoplasma gondii * Herpes type 1 * Herpes type 2 * Cytomegalovirus

HBO AND...develops, manufactures, and markets PHOTON [R] instrument systems and TANDEM [R] diagnostic assays incorporating monoclonal antibody technology.

VISUAL ENDPOINT ASSAYS

TANDEM ICON [R] II HCG (Urine) TANDEM ICON [R] II HCG (Serum)

Pregnancy Test

TANDEM ICON II HCG is a monoclonal antibody-based pregnancy test. Its Immuno-Concentration [TM] format provides for detection of 20 mIU/ml...

...The ICON QSR CKMB assay detects CK-MB in serum by using two different monoclonal antibodies that react with two distinct regions of the CK-MB molecule. One monoclonal antibody binds the B subunit and the second monoclonal antibody binds the M subunit of CK-MB.

The four zone ICON QSR cylinder incorporates Low...

...MB result quickly and easily.

NON-ISOTOPIC ASSAYS

filtermyoglobin.txt

Hybritech's TANDEM-E ASSAYS incorporate monoclonal antibodies in a two-site solid phase immunoenzymetric assay (IEMA). They deliver single point calibration, linear...

...TSH HS * Ferritin

* PSA

ISOTOPIC ASSAYS

TANDEM-R ASSAYS combine the performance of radiolabelled monoclonal antibodies in a two-site solid phase Immunoradiometric assay (IRMA). They deliver solid phase convenience, procedural...

...Era is an automated analyzer designed to process Hybritech's TANDEM-E line of monoclonal antibody-based immunoassays. The instrument has been developed to eliminate the time-consuming tasks associated with... tissue culture products.

IMMUNOBIOLOGICALS

The Immunobiologicals Division of ICN Biomedicals, Inc. carries complete line of antibodies, antisera, blood proteins, enzymes and human IgG subclass kits.

IMMUNO-DIAGNOSTIC PRODUCTS, INC. P.O...staining.

A unique reagent deliver system -- using capillary gap action within two slides -- conserves costly antibodies and DNA probes for reaction with immobilized tissue samples. It consumes only 10% of the...

...our system is LabSystem's wide range of diagnostic kits for infectious diseases.

LABSYSTEMS MONOCLONAL ANTIBODIES Antibodies to Intermediate Filaments including CYTOKERATIN, PKK1, PKK2, PKK3, VIMENTIN, NEUROFILAMENT, DESMIN, and GFAP. Highly specific...MDXBIO) Fax # 415-573-6734

Ordering/Pricing/Technical Services Call (415) 573-3315

MURINE MONOCLONAL ANTIBODIES ATCH

ACTH FITC

Albumin FSH

Alkaline Phosphatase [Beta]-D-Galactosidase

(Calf Intestine) (E. coli)

Alkaline...

...Ferritin Testosterone

Fibronectin Transferrin

Folate Vitamin B12

DEFINING HUMAN IMMUNOGLOBULINS DEFINING HUMAN LEUCOCYTES ANTIGENS

POLYCLONAL ANTIBODIES Goat Anti-Apo A-I Goat Anti-Apo-B Goat

Anti-Apo-E Goat Anti...peroxidase-based enzyme immunoassays OPD

TABLETS--for peroxidase-based enzyme immunoassay tests (Ortho-phenylene

diamine) ANTIBODY--HORSE RADISH PEROXIDASE CONJUGATES: (Monoclonal or

Polyclonal) SPECIAL CUSTOM-MADE ANTIBODY-ENZYME CONJUGATES: Alkaline

Phosphatase, [Beta]-galactosidase and other enzymes

REAGENTS FOR IMMUNOHISTOCHEMISTRY

ENZYME IMMUNOASSAY COMPONENTS...

...PREGNANCY VISUAL COLOR TEST

Early pregnancy visual color tests available in tubes/well or dipstick (*)antibody coated (*)visual color change (*)Positive results as fast as 5 mins. (*)Low sensitivity in serum or urine

LH VISUAL COLOR TEST FOR OVULATION (*)antibody-coated

tubes/wells/dipsticks (*)fastest test on market-results in only 15 minutes

(*)Simple to perform (*)Economical and Convenient

STREP A EIA TEST (*)antibody coated tubes (*)FASTEST - results

in 5 minutes!! (*)EASY - 4 simple steps provide distinct color

change...

...WELL ASSAYS HCG, LH, FSH, TSH, Prolactin, Ferritin, IGE, AFP, CEA, HGH

CUSTOM SERVICES MONOCLONAL ANTIBODY DEVELOPMENT:

Immunization/Hybridization/Cloning/Antibody production and

filtermyoglobin.txt
characterization ENZYME IMMUNOASSAY KIT DEVELOPMENT: Solid phase
immobilization/Antibody-Enzyme conjugation/Chromogen solution
MERIDIAN DIAGNOSTICS, INC. 3471 River Hills Cincinnati, OH 45244
Ordering/Pricing...

...Cryptococcal Antigen Detection * Immunodiffusion Antigens/Antisera *
Complement Fixation Antigens/Antisera
Endo-Staph [TM]: Teichoic Acid Antibody Kits Meristar [TM]:
Mycoplasma pneumoniae Antibody Detection Kit Culture Confirmation
Products for * Beta-Hemolytic Streptococci * G.C. * Campylobacter Rotavirus
Antigen Detection...

...enzyme-donor is conjugated to the drug. When the enzyme-donor reacts
with digoxin-specific antibody supplied in the kit, it inhibits the
reassembly of these enzyme fragments. The serum concentration...

...Mab Assay, Catalog No. 80-1300 is available in a 200-test configuration.
The monoclonal antibody assay requires no pretreatment steps,
generates a linear curve (only 2 point calibration required). It...
acetylprocainamide

Procainamide	Monoclonal
Quinidine	Theophylline

SERA-TEK [R] Quantitative Microagglutination Tests for Thyroglobulin
and Microsomal Antibodies in Serum Now features New Gelatin carrier
particles and improved procedure.

These kits provide materials for the quantitative determination of
thyroid antibodies in serum. Both tests aid in the determination and
confirmation of thyroid autoimmune disease, and...

...techniques is required for performance of the tests.

SERA-TEK [R] MHA-TP [R] Treponemal Antibody Test Recognized by
CDC as Standard Confirmatory Test

SERA-TEK Treponemal Antibody Test is designed to be used as an
aid in the detection and confirmation of syphilis antibodies.
SERA-TEK is based on the micro-agglutination of sensitized sheep
erythrocytes by serum containing antibodies of T. pallidum.

Microbiology

MICROSTIX [R] -3 Reagent Strips Box of 25 foil-wrapped strips...
RUBELLA AND MUREX SUDS TOXO ASSAYS Two rapid, colorimetric immunoassays for
the qualitative detection of antibodies to rubella virus or
Toxoplasma gondii--a means of determining the immune status with a...
anti-retrovirus reagents, monoclonal anti-human cytokine reagents,
avidin-biotin reagents, as well as second antibodies (goat) and
anti-human immunoglobulin reagents (goat). In addition a special program
for large scale...direct and indirect Antiglobulin Tests Enhancement
Media-EM-V, EM-X, Bovine Albumin, Enzymes -- For antibody screening
& identification procedures and Compatibility Testing Rare
Sera-Antisera for phenotyping of red blood cells...

...a), [jk.sup.b], M, N, S, s, [P.sub.1] Reagent Red Blood Cells-
Antibody Screening cells (pooled, 2 or 3 Cell) Antibody
Identification panels (11 & 16 vial panels) Reverse Grouping Cells
Coombs Control Cells Specialty Products-REST, W.A.R.M., H.P.C., P Substance
-- For advanced antibody identification work. [Rh.sub.o] (D) Immune
Globulin-Available in vials or syringes Quality Control...

...daily testing or Blood Bank reagents Also-Proficiency Test Systems,
Cellwasher, Continuing Education Programs, and Antibody
Identification Software.

OXOID U.S.A. INC. 9017 Red Branch Road Columbia, MD 21045
Ordering...

...CARDS [R] MEMBRANE ENZYME IMMUNOASSAYS Rapid diagnostic tests utilizing
Page 16

filtermyoglobin.txt
visual ELISA systems which consist of antibodies immobilized on
membrane filters. Interpretation is through the use of positive (+) and
negative (-) signs. Built...

...Direct agglutination methodology for rapid, economical pregnancy
testing. * Directaclone CG Slide
IMMUNORADIOMETRIC ASSAYS Monoclonal/polyclonal antibody coated
tube quantitative assays providing rapid results and excellent low range
sensitivities. * HCG IRMA * TSH...

...high count rate radioimmunoassays for the polypeptide hormones. *
[Beta]-HCG * LH * FSH

MONOCLONAL AND POLYCLONAL ANTIBODIES, HORMONES/ANTIGENS AND
OTHER RAW MATERIALS ARE AVAILABLE ON REQUEST
PACKARD INSTRUMENT COMPANY A Canberra...9033 Red Branch Road
Columbia, MD 21045

VIRGO Infectious Disease ELISA Kits IgG or IgM Antibody
Detection Test time: 50 minutes * Rubella * Toxoplasma gondii *
Cytomegalovirus * Herpes simplex, Type 1 * Herpes simplex, Type 2 *
Epstein-Barr Virus * Varicella-Zoster Virus

IgG Antibody Detection * Measles (Rubeola) * Chlamydia
trachomatis * Entamoeba histolytica * Mumps Supporting Instrumentation:
VIRGO MR300: Microprocessor controlled, single wavelength easy-to-use
microplate spectrophotometer with two position filter paddle plus
data management cartridge.

VIRGO Blood Virus Kits * HIV-1 IFA (Antibody Detection) - Test
Time: 90 minutes * HIV-1 IFA (Antibody Detection) "For
Research Use Only" - Test Time: 90 minutes * HIV-1 Antigen ELISA "For
Research Use
Only" - Test Time: 4 1/2 hours or overnight * HTLV-1 ELISA ((For
Antibody Detection) "For
Research Use Only" - Test Time: 90 minutes * HBs AG ELISA "Pending
FDA Licensure...

...Measles (Rubeola) * Mumps
Antigen Testing (IFA) Herpes Identification and Typing Test HSV 1
& 2 Monoclonal Antibodies Direct specimens or Culture
confirmation

DELFA [R] SYSTEMS Time-resolved fluoroimmunoassay Diagnostic Kits 96
Determination...Gonadotropin (beta-hCG) in urine and serum specimens It
uses nonisotopic, non-instrument dependent monoclonal
antibody
technology to keep the test simple, sensitive, accurate, cost-effective and
fast. The QUDEL Pregnancy...reagent packs--all components
necessary for assay of APO A-1 and APO B;
Antibody Reagent, Apolipoprotein Serum
Controls I and II, Serum Calibrators (6). * Applications available
for many automated
analyzers...transfer is involved. This time-savings is possible due
to the quality of monoclonal antibodies used in both the bead
coating and the conjugate reagent.

The sensitivity of 0.5 ng...258-9300 Telex 695205 answ SCANTIBODI SDG
Cable Address: SCANTIBODI
* OPTICALLY CLEAR HUMAN
SERUM * ANTIBODIES
SciMedx [R] 400 Ford Road Denville, New Jersey 07834
Ordering/Pricing/Technical Information: Toll Free 1...

...Testing. Immunosystems are available for testing (ANA), [Hep.sub.2]
(MA), (SMA), (TA) Thyroid Antibody, Parietal Cell Antibody ((PCA),
Skin Antibody (ASA), (ndNA), FTA-ABS & (DS), Lyme.
Research Investigational Use:
* Anti-Islet Cell * Anti-Ovary

* Anti-Striated...

...Legionella Poly II conjugate screens for 14 groups in 1 step. 2. Indirect fluorescent antibody reagents available. Polyvalent or monovalent positive primate control sera with titrated endpoints. Prepared screening and/or...

...gels for screening & identification. Poly II Extract allows screening for at least 7 different antibodies in 1 step. (Sm, RNP, SS-A, SS-B, SCL-70, Jo1, PM1)
EIA Test Systems...

...Serum, Assayed

SEROLOGY * ASO Quantum, Unique hemolytic method
For the determination of Streptolysin O
Antibodies. Easy procedure--uses whole
blood or serum. No serial dilutions needed.
Hands on time--2 minutes...

...dipstick method. * I.M. Screening, 2 minute slide test

For the detection of heterophile antibodies
associated with Infectious Mononucleosis in
serum. * I.M. Differential, 2 minute slide test
Distinguishes specific I.M. heterophile
antibodies from other antibodies such as

Forsmann or serum sickness. * C-Reactive Protein, Rapid slide test
Easy procedure--results in...tissue antigens with specificity. Time

saving microwave applications speed up staining. Comprehensive selection of
antibodies, human antigens, conjugates, controls, chromogens,
blocking serum and stains round out the product line.

IMMUNOASSAY Simplified...DISEASE TESTS Syva MicroTrak [R]

Syva MicroTrak [R] tests are a line of monoclonal antibody-
based diagnostic tests for rapid identification of sexually
transmissible diseases. Test advantages include high sensitivity and...

...culture methods. Specificity and sensitivity are equal to those of
conventional culture. These monoclonal-antibody-based reagents can
also be used to confirm conventional cell culture results.

Syva MicroTrak [R] EIA...LEAP [R] RF for Rheumatoid Factor, 100
determinations

LEAP [R] STREP for Multiple Streptococcal

Antibodies, 50 determinations

IMMUNOLOGY * IMMUNO-PLATE [R] IV TEST KITS * REFERENCE SERA * CONTROL

SERA * IMMUNODIFFUSION PLATES * IEP...Pricing/Technical Information: Write
or Call (616) 429-0066

VZV-FAMA ASSAY KITS Fluorescent antibody to membrane antigen

(FAMA) assay for the detection of IgG to varicella-zoster virus (VZV).
Screening...

...and serological testing of infectious disease agents. VIDAS will detect
bacteria, viruses, toxins, and antibodies directly from patient
specimens.

Test results are available in a few hours because the VIDAS combines
its patented crimped tube. The crimped tube eliminates the handling of
antibody coated beads and the need for special washing equipment.

Assay availability:

Thyroid	Fertility	Cancer
TSH	hCG...	

...Assays

ANA, Lyme, RF * Serum Protein Quantitation

G, A, M, E, Haptoglobin, Transferrin

Monoclonal Antibodies * FITC-Conjugated Antibodies to

filtermyoglobin.txt

Infectious

Diseases * Provided at Use Dilution for Culture
Confirmation
Viral Reagents
MeloY Kits and Reagents...

...Service

* NEW RESEARCH KITS
125I labelled kits for
Sex Hormone Binding Globulin
Anti-insulin antibodies
Corticosteroid Binding Globulin
Reverse T3. b2-microglobulin
YELLOW SPRINGS INSTRUMENT CO., INC. Box 279 Yellow Springs...

5/3,K/11 (Item 4 from file: 149) Links
TGG Health&Wellness DB(SM)
(c) 2009 Gale/Cengage. All rights reserved.
01147877 Supplier Number: 06397343 (USE FORMAT 7 OR 9 FOR FULL TEXT)
Glassware, labware, plastics, metals, and ceramics. (Guide to Biotechnology Products
and Instruments) (buyers guide)

Science , v239 , n4841 , pG124(5)

Feb 12 ,
1988

Document Type: buyers guide Publication Format: Magazine/Journal

ISSN: 0036-8075

Language: English

Record Type: Fulltext Target Audience: Academic

Word Count: 36222 Line Count: 04136

...Tech. Inc. (914) 762-3250 Soleras Ltd. (207) 985-7169 VWR Sci. (415)
468-7150

filter funnels
Ace Sci. Supply Co., Inc. (201) 254-0400 Baxter Healthcare Corp.-Sci.
Prods. Div...

...Corning Glass Works (607) 737-1667 Diamonite Prods. (216) 567-2145
Met-Pro Corp.-Keystone Filter Div. (215) 822-1963 Met-Pro ...
Corp.-Sys. Div. (215) 723-6751 New England Biolabs (617) 927-5054 Osmonics,
Inc.-Hytrex Filter Div. (612) 933-2277 VWR Sci. (415) 468-7150
filters, glass fiber: TCA precipitation
Amer...

...617) 235-2373, (800) 443-0600 Appl. Biosystems, Inc.-Foster City (415)
570-6667 Balston Filter Prods. (617) 861-7240 Baxter Healthcare
Corp.-Fenwal Div. (312) 940-5800 Bio-Safe Corp...

...3318 Enzo Biochem Inc. (212) 741-3838 Flanders Filters Inc. (919)
946-8081 High Efficiency Filter Corp. (HEFCO) (201) 544-0200 Kappler
Crystal Optics, Inc. (617) 429-1142 Kimble Glass Inc...

...Inc. (415) 527-0330 Mandel Sci. Co. Ltd. (519) 856-9566 Met-Pro
Corp.-Keystone Filter Div. (215) 822-1963 Micro Filtration Sys.
(415) 828-6010 Micron Seps. Inc. (617) 366...

...741-6360 (sales); (516) 741-2166 (marketing) Nuclepore Corp. (415)
463-2530 Osmonics, Inc.-Hytrex Filter Div. (612) 933-2277 Res.
Prods. Intl. Corp. (312) 635-7330 Sargent-Welch Sci. Co...

filtermyoglobin.txt

...5600 Mott Metallurgical Corp. (203) 677-7311 Nuclepore Corp. (415)
 463-2530 Osmonics, Inc.-Hytrex Filter Div. (612) 933-2277
 Phenomenex, Inc. (213) 541-0606 Photon Technols. Inc. (408) 727-0754...5000
 Vector Labs., Inc. (415) 697-3600 Zymed Labs. Inc. (415) 871-4494
 biotin-conjugated antibodies Bethesda Res. Labs. (301)
 840-8000 Bio-Rad Labs.-Chem. Div. (415) 232-7000 BIODESIGN...6484 SPI
 Supplies (215) 436-5400 Zymed Labs. Inc. (415) 871-4494
 colloidal gold-conjugated antibodies Bio-Rad Labs.-Chem. Div.
 (415) 232-7000 Bioproducts for Science, Inc. (317) 894-7536...6484
 dryers, air Aeroquip Corp. (517) 787-8121 Alltech Assoc. Inc. (312)
 948-8600 Balston Filter Prods. (617) 861-7240 Baxter Healthcare
 Corp.-Sci. Prods. Div. (312) 689-8410 Beckman Instrs...FITC -- conjugated
 substances Accurate Chem. & Sci. Corp. (516) 433-4900 Amer. Res. Prods.
 Co. Atlantic Antibodies, An Incstar Co. (207) 883-4154 Atomergic
 Chemetals Corp. (516) 694-9000 BBL Microbiology Sys...
 ...765-5000 Vector Labs., Inc. (415) 697-3600 Zymed Labs. Inc. (415)
 871-4494
 fluorochrome antibody conjugates DAKO Corp. (805) 963-9881
 Granbio, Inc. (714) 676-0049 Hyclone Labs., Inc. (801...800) 255-1500 York
 Biologicals Intl. (516) 751-6553
 myeloperoxidase BIODESIGN Inc. (207) 967-4173
 myoglobin Chem. Dynamics Corp. (201) 753-5000 Chemicon Intl.
 Inc. (213) 322-2451, (800) 437-7500...852-1122 Pierce Chem. co. (815)
 968-0747
 protein assay kits Amer. Diagnostica Inc. Atlantic Antibodies,
 An Incstar Co. (207) 883-4154 Bio-Rad labs.-Chem. Div. (415) 232-7000 Cyber
 ...
 ...diagnostica Inc. Boehringer Mannheim Corp. (317) 849-9350 (800) 428-5433
 protein determination kits Atlantic Antibodies An Incstar Co.
 (207) 883-4154 Kent Labs. Inc. (206) 868-6200 Pierce Chem. Co...4261
 serums Aalto Sci., Ltd. (619) 480-4484 Amer. Labs., Inc. (402)
 339-2494 Atlantic Antibodies, an Incstar Co. (207) 883-4154 Beckman
 Instrs., Inc. (714) 871-4848 BIODESIGN Inc. (207...VICI Metronics (408)
 737-0550
 standards, cholesterol Aalto Sci.m Ltd. (619) 480-4484 Atlantic
 Antibodies, An Incstar Co. (207) 883-4154 Diagnostic Chems. Ltd.
 (902) 566-1396 Ingram and Bell...619) 480-4484 Amer. Diagnostica Inc. Appl.
 Biosystems, Inc.-Foster City (415) 570-6667 Atlantic Antibodies, An
 Incstar Co. (207) 883-4154 Beckman Instrs., Inc. (714) 871-4848 Bethesda
 Res. Labs...

?